AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1. (Original) A wall plug suitable for connecting an item of telecommunications equipment to a telecommunications network, wherein the equipment and the network are separated by a wall, the wall including a bore communicating through the wall, the device comprising a hollow body in the form of a tube engageable in the bore, the tube including
- termination means to terminate a cable connected to the telecommunications network; and
- (ii) connection means to receive a connector of the item of telecommunications equipment

the termination and connection means being so arranged that with a cable terminated on the termination means, connection of the connector to the connection means provides an interconnection between the equipment and the network.

- 2. (Original) A wall plug according to claim 1, wherein the connection means comprise an inter-engageable member suitable for coupling to a second inter-engageable member, the second inter-engageable member being connected to the item of telecommunications equipment.
- 3. (Original) A wall plug according to claim 2 wherein the first interengageable member is a line jack outlet.

KERRY ET AL. Appl. No. Unknown March.24, 2006

- 4. (Currently Amended) A wall plug according to any preceding claim 1 wherein the body is further adapted to guide the path of the cable along the bore.
- 5. (Original) A wall plug having a body to be received within a bore in a wall, the body having at one end a cavity housing an electrical or optical connector, a passageway coupled to the cavity to permit a communications cable to pass into the housing and to couple to the connector.
- 6. (Currently Amended) A wall plug as claimed in any preceding claim 1 which tapers throughout its length and being widest at said one end.
- 7. (Currently Amended) A wall plug as claimed in any of claims claim 1 to 5 which does not taper throughout its length but whose end remote from said one end is conical, tapering away from said one end.
- 8. (Currently Amended) A wall plug as claimed in claim 1-or 7 wherein said one end of the plug is un- tapered.
- 9. (Currently Amended) A wall plug as claimed in any preceding claim 1 wherein at least part of the exterior periphery of the body is provided with circumferential flanges.

KERRY ET AL. Appl. No. Unknown March.24, 2006

- 10. (Currently Amended) A wall plug as claimed in any of claims 5 to 9 wherein the connector is retained in the cavity by means of a snap-fit coupling.
- 11. (Original) A wall plug as claimed in claim 10 wherein the snap-fit coupling is provided between part of the connector and part of the body.
- 12. (Original) A wall plug as claimed in claim 11 wherein the snap-fit coupling is provided between part of the body and a further component, the connector being secured within the cavity by the further component.
- 13. (Currently Amended) A wall plug as claimed in any preceding claim 1, wherein the body is moulded from a polyamide plastics material.
- 14. (Original) A wall plug as claimed in claim 5, located within a bore in a wall, the cavity being contained within the wall.

Claim 15. (Cancelled)